

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1521	baechle-m\$.in. or wagner-a\$.in. or hitzel-m\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 20:41
S2	79	S1 and brak\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/03/07 20:42
S7	18	brak\$3 same (bleed\$3 fill\$3) same method same ABS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/07 21:24
S8	69	brak\$3 same bleed\$3 same method same pump	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/07 21:42
S9	472	brak\$3 same bleed\$3 same (air bubble) same pump	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/07 21:43
S10	2	brak\$3 same bleed\$3 same (air bubble) same pump same ABS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/07 21:46
S12	41	brak\$3 same bleed\$3 same (air bubble) same pump same method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/07 21:47
S13	63	"303"/\$.ccls. and 188/352.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/07 21:52
S14	1	"303"/\$.ccls. and 141/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/07 21:52
S15	6	188/352.ccls. and 141/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/07 21:52

EAST Search History

S16	3	method same (bleed\$3 refill\$4) same brak\$3 same pump same accumulator same reservoir.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/08 08:27
-----	---	--	---	----	-----	------------------